Eugenia Aromatic (Clove) in Focus: A Scientific Review of Its Pharmacological Applications and Therapeutic Benefits"

Sidra Zubair, Anila sharif, Hafiza Afsah Altaf, Fouzia Karim, Hira Raees

Faculty of Pharmacy Jinnah University for Women Karachi,Pakistan

ABSTRACT

Clove a dried bud of tropical tree. Scientific Name Syzygium aromaticum and it belongs from kingdom plantae, family myrtaceae from class angiosperms. This review comprises exploration of clove by describing its historical significance its production process scientific classifications and its various aspects of its macro and microscopical characteristics. Cloves are known by their different names like *caryophullus aromaticus*, and eugenia *caryophyllata*.

The research outlines the cultivation process of cloves and describe importance suitable soil , climate conditions and protection against pest. The collection method and drying process also explained with challenges explained during cultivation. The main compound found in cloves is eugenol, which is mainly responsible for the characteristic aroma of clove.

The review describe the nutritional information of cloves, highlighting their low-calorie content and rich manganese concentration. Health benefits are discussed, ranging from blood sugar regulation and tumor prevention to anti-inflammatory and digestive aid properties.

The potential adverse effects and warnings associated with clove consumption, emphasizing caution in certain populations, such as those with diabetes or bleeding disorders. Dosing recommendations for adults and children are provided, considering various applications, from dental pain relief to mosquito repellent. findings and conclusion.

Keywords: Clove, aromatic oil, toothache, Ayurvedic.

INTRODUCTION

Clove

Definitions:

Cloves are the dried buds of a tropical evergreen tree of the dicot family that yields essential oil. They are commonly used as an aromatic spice and as a medicinal remedy to alleviate dental and throat pain. The trees from which cloves are obtained are native to Indonesia [1] . In a dry tropical forest in Ghana, it was observed that dry-fruited species tend to fruit in the dry season, and all forest trees in Pinkwae have fleshy fruits [1, 2] . Resprouting ability after felling or decapitation decreases with the stage of tree development in production 3 . A recent study investigated how extreme cold affects cellular structures in developing buds of kiwiberry plants. The study found that A. kolomikta buds had less cellular damage than A. arguta, likely due to the accumulation of saccharides within developing buds [4] .



History Of Eugenia Aromatica:

Until times, cloves developed exclusively on numerous islands inside the Maluku Islands (generally known as the Spice Islands), together with Bacan, Makian, Ternate, and Tidore [5] . However, they found their strategy west to the inside East and Europe a long time before the essential century C.E. Archeologists discovered cloves among a fired vessel in Syrian Arab Republic together with evidence synthetic examination the acknowledge to among numerous long 6 . Cloves, together with nutmeg and pepper, were amazingly prized in Roman occasions, and Pliny the Elder once wonderfully grumbled that "there isn't any year inside

 © 2023 Elysian Sciences Publishing House

which India doesn't deplete the Roman Empire of fifty million sesterces. Cloves were recorded by Arabs all through the inside Ages inside the productive sea exchange. Inside the late fifteenth century, European country assumed control over the sea exchange, together with cloves. Tordesillas with European nation and a different agreement with the stupendous Turk of compound.The Portuguese passed on goliath measures of cloves to Europe, basically from the Maluku Islands. Clove was then one in all the preeminent significant zest.Cloves and nutmeg were among the foremost precious of things of Europe of the sixteenth and seventeenth centuries, and that they were value quite their weight in gold [7].

Clove oil is the primary constituent of cloves, containing eugenol, which is a good anesthetic agent and has been used in medicine for a long time [8]. Both cloves and their oil are stimulant, aromatic, and carminative, and are often used to alleviate nausea, vomiting, flatulence, and weak digestion. Cloves have antiseptic, antibacterial, antifungal, anti-inflammatory, antiviral, antiparasitic, and analgesic properties, making them a versatile natural remedy. They can be used to stimulate the mind, ease coughs, aid in digestion, and even treat conditions such as malaria and cholera 9 . Additionally, clove oil can be applied topically to treat skin problems like acne, and sores. Clove oil has been used traditionally as a savoring agent and antimicrobial material in food, and it has been reported to inhibit the growth of molds, yeasts, and bacteria. Clove oil can also help to reduce chronic itching and support good mental health [10].

Production of Eugenia Aromaticum

Cloves are actually the dried blossom buds that return from the evergreen Eugenia aromaticum that flourishes in tropical atmospheres [11]. The tree, which may develop to thirty feet tall, has white ringer framed blooms, the buds of that square measure unpracticed once they first appear then flip pink as they develop. The clove won't turn out blossoms till it's been developing for at least five years [12]. The cloves are handpicked once the buds are just turning pink, directly before the bloom opens. These reaped buds are sun dried that turns them a dim dark colored with darker heads. The dried cloves flare anyway one tree will yield forty pounds. There will be a few issues once developing cloves. seed plant wither is one in everything about preeminent genuine [13]. This can be an ailment wherever the influenced seedlings free their shine, the leaves shrivel and along these lines the tree passes on. It will unfurl to the contrary clove trees. In this manner any seed plant influenced with this must be discarded progressively. Various issues like leaf decay, bud shedding and leaf spots will happen even as in the other plant and will be treated with splashes. There are bugs that go after the tree that ought to be controlled [13].



Scientific Classification:

Scientific Name: Syzygium aromaticum [14]

Kingdom: Plantae

Class: Angiosperms

Request: Myrtales

Family: Myrtaceae

Class: Syzygium

Species: S. aromaticum

Synonymous:

- Caryophyllus aromaticus
- Eugenia aromatica
- Eugenia caryophyllata

Sources:

Natural source: It includes the dried blossom buds of dicot class [15].

Geographical source: Clove tree may be a neighborhood of Molucca Island present in Indonesia. These days clove is developed basically in Island of Zanzibar, Pemba, Amboiana, Sumatra [15].

Cultivation:

For development seeds region unit planted in well-depleted suitable soil at a separation of concerning 25 cm [11,16] . Eugenia caryophyllus needs dampish, heat and equable climate with well distributed precipitationthroughout cultivation procees must be protected against pests and diseases. within the starting seeds cannot bear full daylight, therefore protection is given by constructing frames concerning one miter high and covering them with banana leaves. Leaves of banana well ordered rot and extra daylight falls on the youthful seedlings [11] . when seedlings territory unit concerning nine months past they're prepared to shoulder full sunlight. At that point the edges territory unit evacuated and once seedlings zone unit concerning one miter high they're transplanted at a separation of six meters inside the beginning of season [16] .

Collection:


Trees are likewise overpowered by implies that of bamboos sticks; clove buds fall on the base gather when variety stalks are isolated at that point are set on coconut tangles or solid floors and dried in sun. All through night they're covered. Drying takes with respect to three days [13] . As an after effects of drying clove buds become dim chromatic and misfortune with respect to seventieth of the weight. Clove is then hierarchic in venture with size, Condition and quality, stuffed into parcels and sent out [12] .

Macroscopical Characteristics:

The plant is a tall evergreen plant about twenty meters high with leaves rough in surface.Clove can be bifurcated into the head and the stalk locale. The head isolate containing the buds have four envisioning calyx teeth or folds or sepals [14, 17] . A hood which hides different stamens is confined by the falling of the four petals which are over the projections (sepals). The stalk bit of the Eugenia aromaticum contains a barrel molded hypanthium above which lies a bilocular ovary including different ovules [14, 17] .

Organoleptic Properties:

Eugenia aromaticum bloom buds are around ten to seventeen millimeter long and two mm thick and are darkbrown colored (practically black) in shading. Eugenia aromaticum have a solid sweet-smelling and impactful taste pursued by deadness (analgesia) and a fiery scent [14, 18] .



Microscopical Characteristics:

- A transverse section of the hypanthium, in the region underneath the ovary of the clove the going with recognitions are made [17] .
- The epidermis of Eugenia aromaticum has a thick fingernail skin with anomocytic stomata and straight walled cells.
- There is closeness of schizolysigenous oil organs which are ellipsoidal perfectly healthy in the parenchyma [19] .
- CaC2O4 precious stones groups also are available in the parenchymatous cells.
- They are around five to twenty five µm in width. They are framed as acicular needles.Vascular gatherings are found in the oil organs zone and in the outside region of the columella.
- Between the columella and the vascular gatherings is the locale of aerenchyma which is made out of air cells and supports the columella.
- Collumella is moreover well off in CaC2O4 pearls and has a ring of vascular bundles in its outside ring.Dust grains are fifteen to twenty µm in distance across and triangular fit as a fiddle [19] .
- Starch grains are missing.





Fig. 13: T. S. of Clove

Dynamic Compounds:

- The compound to fault for the Eugenia aromaticum smell is eugenol. it's the most component inside the oil removed from cloves, containing seventy two to ninety % [20]
- Eugenol has articulated clean and analgesic properties, and is utilized as an antimicrobic and in mouthwashes.Volatile oil (sixteen to twenty%) Phenol fundamentally Eugenol (eighty to eighty eight%), acyl bunch eugenol (ten to fifteen%); α and β - Caryophyllene.

Alternative substances territory unit methyl radicalaldehyde and dimethyl aldehyde. Other significant constituents incorporate fundamental oils acetyl eugenol, beta-caryophylline, and vanillin, just as crategolic corrosive, tannins, gallotannic corrosive, methyl salicylate (painkiller), a few sesquiterpenes, the flavanoids eugenin, kaempferol, rhamnetin, and eugenitin, and such triterpenoids as oleanolic corrosive, stigmasterol and campesterol [20].



Eugenol

Adulteration:

- According to the official definition, clove bud should contain oil of cloves between fifteen - 21% and not less. Inadequate item can have unmistakably [21].
- Over ready buds and juvenile buds don't contain the endorsed extent of oil. here and there the oil is pulled back universally and cloves liberated from oil is blended with genuine medication or oversubscribed the most extreme sum. the consequent square measure a similar old adulterants [21].

1) **Exhausted Cloves**:

Unpredictable oil is incompletely or totally evacuated. Therefore buds appear to be darker in shading, contracted in kind and yield no oil even once squeezing strenuous between the fingers [22].

2) Clove Stalks:

The stalks, that puncture though collection the buds. when blessing in overabundance square measure pondered as adulterants. These stalks don't contain unpredictable oil anyway exclusively to the tune of fifty. it's easy to distinguish them out as they seemed dim dark colored, precise; trichotomously expanded, with hubs augmented and with high extent of unrefined fiber (13.6%) [23]. The unrefined fiber in authority clove2-9.8%.If in pummeled kind, unquestionably more than clove stalk is made out by the nearness of nuclear number 20salt crystal and enormous thick walled stone cells that however square measure missing in authority clove powder [21].

3) CLOVE FRUITS (Mother Clove):

These conjointly contain oil of cloves anyway exclusively around three to five related consequently considered as an adulterant. These cloves square measure plainly bigger (twenty to twenty five mm/ten to seventeen mm), applaud and decrease beneath the principle seed present inside the natural item contains starch, that is absent in clove bud. using a simple compound investigate starch, the adulterant is distinguished [24].

4) Blown Clove:

Here develop clove blossoms while not curl and stamens likewise are admixed. These in the end square measure awfully low in their oil content [24].

Nutritional Information:

According to the US depart of nutrition information, 2.1 grams (g) or one teaspoon of ground cloves contains [25] :

6kilocalories(kcal)
0.13grams of macromolecule 0.27 g total fat 1.38 g saccharide 0.7 g fiber The same quantity of ground cloves additionally provides one.263 milligrams (mg) of atomic number 25, that is sixty three % of the Daily worth(DV) for atomic number 25.

Health Benefits Of Cloves:

Cloves are associate in nursing integral part of ayurveda and ancient Chinese medication for hundreds of years. additionally, they need been employed in Thai and kampo medication in Japan and Indonesia [26] .

Controls Diabetes:

- A consider in mice found that clove extricate and nigericin, a component of clove separate, diminished hypoglycemic specialist opposition in mouse muscle cells.
- Mice with polygenic illness that devoured nigericin conjointly had less hypoglycemic specialist obstruction and improvements in aldohexosetolerance, hypoglycemic operator emission, and cell work [27] .

Prevents Tumor:

Many herbs and flavors square measure high in cell reinforcements, that square measure synthetics that play a segment in lessening damage to cells that would cause malignant growth [26] .

Obesity:

- Researchers found that clove remove decreased the occurrence of avoirdupois resulting from a high-fat eating routine.
- Mice UN organization got the clove extricate had lower weight, less stomach fat, and less liver fat than those inside the administration group [26] .

Digestive Aid:

Clove oil, (extracted from cloves) will be accustomed scale back gas and bloating. It lowers the pressure that gas puts on the abdomen and supports the right elimination of waste. It can even be effective for hiccups, kinetosis, vomiting, and nausea [10, 26] .

Blood Sugar Regulation:

Research has found that every cinnamon and cloves advance conventional blood glucose levels. They will downsize normal humoraldohexose from 225 mg/dl to a hundred and fifty mg/dl [4] .

Free Radical Buster:

- Free radicals cause aerophilous mischief that meddles with cell perform and sway wellbeing.
- Antioxidants encourage shield against this damage. Flavors are a strong supply of cell reinforcements together with sage, oregano, and cloves.
- The cancer prevention agents in cloves are engaged and encourage bolster conventional maturing and best insusceptible perform alongside cell respectability [10, 26] .

Bone Preservation:

Clove extracts facilitate to preserve bone density and also the mineral content of bone. They conjointly facilitate to extend the lastingness of bones in pathology [28] .

Candida Aid:

- Almost seventieth of all people zone unit smaller by organism, a general zymosis. Yeast is generally discovered living in settlements on human skin, inside the digestive organs and inside the mouth.
- Eugenol, contained in cloves has been found to help advance parity inside the gut of magnificent and perilous microorganism. furthermore, cloves, wintergreen, cinnamon, and peppermint are some basic oils that demonstrate the adaptability to battle against unsafe creatures together with yeast. Scientists in Japan trust that cloves utilized in sustenance dishes shield against microorganisms that reason disease [28] .

Anti-Inflammatory:

This incredible characteristic oil is utilized to treat a wide range of irritation inside the body from toothaches, aroused gums, skin emissions, muscle and joint agony, to aggravation inside the gut [29] .

Toothache:

- Because cloves have how of deadening pain and fighting microorganism, they're usually utilized in the treatment of tooth pain and oral problems like gum malady and periodontitis [30] .

Stress Relief:

Cloves will quiet nerves that makes them decent for battling pressure and tension. They prompt hormones that control pressure and lift up your mind-set. Tasting on a tea made up of cloves is that the great gratitude to slow down once an unpalatable day [31] .

Expectorant:

- Cloves contain phenolic resin compounds like eugenol and acid, that square measure anti-inflammatory drug and medicine in nature. full of healthful properties, cloves not solely relieve a inflammatory disease however additionally alleviate pain caused thanks to persistent coughing [32] .
- It additionally has volatile oil, that acts as a natural medicine, clearing the metastasis passage. Moreover, it additionally helps you to induce obviate fretful feeling within the throat, caused thanks to a dry cough.
- The antiviral and inhibitor properties of cloves facilitate in cleansing toxins from the body and boosting the immunity [32] .

Boost System:

Both clove and volatile oil square measure helpful for reinforcing the system. Their antiviral properties have the flexibility to purify the blood and increase resistance to a large number of diseases as a result of the cell reinforcements in clove unpredictable oil search the assemblage of hazardous free radicals. This helps stop countless infections like heart issues and beyond any doubt sorts of malignancy [32] .

Acne:

In case you're vexed by breakouts, consider utilizing cloves to cure fiery sickness inclined skin. consolidate one teaspoon clove powder with some crude nectar and apply to provocative illness. Give it a chance to dry and wash. Pat dry and rehash as vital 33 .

Acne Scars

On the off chance that you have scars from past incendiary ailment, fundamental oil will encourage cut back their look. join three drops basic oil with one teaspoon copra oil and apply to scars before bed 33 .

Air Freshner:

You can basically battle frightful scents in your home by making your own oil of cloves thing splash. consolidate 5-10 drops of oil of cloves in water in a very splash container and shake a long time before exploitation 34 .

Oil Of Cloves:

- Clove is normally found inside the fragrance based treatment segment of sustenance stores, and is utilized inside the fixings of certain medications.
- Clove oil has been advanced as having a huge fluctuate of wellbeing impacts, anyway there's insufficient restorative evidence to help general cases for its utilization as a remedial 4 .



Types Of Cloves Oil:

There are 3 sorts of clove oil 4 :

Bud oil: springs from the bloom buds of S. aromaticum. It comprises of sixty to ninety% eugenol, acyleugenol, diverse minor constituents.

Leaf oil: springs from the leaves of S. aromaticum. It comprises of eighty to eighty eight% eugenol with almost no or no eugenyl acetic acid derivation, minor constituents.

Stem oil: springs from the twigs of S. aromaticum. It comprises of ninety to ninety five% eugenol, with various minor constituents

Adverse Effects And Warnings:

- Clove is likely ensured when taken by mouth in sustenance wholes. Clove is conceivably ensured when taken by mouth in recommended parcels for helpful purposes in commonly solid adults, and when properly debilitated clove oil is associated with the skin [35, 36] .
- Clove may cause against estrogen impacts, central tangible framework pity, changes in weight, coagulating disperses, dental issues, energetic changes, eye signs (trying, swelling, and tearing), gum irritation and aggravation, immune structure effects, kidney and liver mischief, lung muscle fits and swelling, seizures, spermicidal effects, and urinary issues [36] .
- Clove may bring down glucose levels. Alert is exhorted in individuals with diabetes or low glucose, and in those taking medications, herbs, or enhancements that influence glucose. Glucose levels may should be observed by a certified medicinal services proficient, including a drug specialist, and prescription modifications might be fundamental [35, 36] .
- Clove may cause low circulatory strain. Alert is exhorted in individuals taking medications or herbs and enhancements that lower pulse 35, 36 .
- Use carefully in individuals who have immune system issue, toothaches and renal or bile brokenness; the individuals who are experiencing estrogen treatment; and those endeavoring to have a child.
- Use carefully in individuals who are taking specialists that influence the invulnerable framework.
- Maintain a strategic distance from in individuals with known hypersensitivity or affectability to clove, any related species, eugenol, isoeugenol [36] .
- Clove may build the danger of dying. Maintain a strategic distance from in individuals with draining issue or those taking medications that may expand the danger of dying. Dosing changes might be fundamental [37] .
- Abstain from applying undiluted clove oil to the skin [35, 36] .
- Keep far from in children and in pregnant or breastfeeding women.

Dosing Of Clove:

Adults (eighteen years and more established)

- Do not exceed two mg / kg of body weight each day. There is a nonappearance of verification to help any part of clove taken by mouth [10]
- **Butt-driven cleft**, one % clove oil cream has been associated with the skin on different occasions step by step for about a month and a half.
- **Dental torment**, two grams of specially designed clove gel has been associated with the mouth for four minutes, by then reapplied for one greater minute [4] .
- M**osquito repellant**, 0.1 ml of clove oil of different centers (five to hundred%) has been associated with thirty square cm of revealed skin was used [4, 38] .

REFERENCES

1. Hussain, S., et al., Clove: A review of a precious species with multiple uses. IJCBS, 2017. 11: p. 129-133.
2. CHAKRABARTY, S., Phenology of woody species in a seasonally dry tropical forest: Relationship between phenology parameters, and variation between functional groups and habitats with contrasting abiotic conditions. 2020, Dept. of Biology.

3. Chiminazzo, M.A., et al., Your best buds are worth protecting: variation in bud protection in a fire-prone cerrado system. Functional Ecology, 2021. 35(11): p. 2424-2434.
4. Haro-González, J.N., et al., Clove essential oil (Syzygium aromaticum L. Myrtaceae): Extraction, chemical composition, food applications, and essential bioactivity for human health. Molecules, 2021. 26(21): p. 6387.
5. Inomisan, O.T. and A.C. Sebastian, Lethality of single, binary and ternary combinations of rice husk ash, groundnut pod shell ash and Eugenia aromatica Baill powder to adults of Callosobruchus species attacking stored grain legumes. GSC Biological and Pharmaceutical Sciences, 2022. 19(2): p. 239-245.
6. Alighiri, D., et al. Quality improvement by batch vacuum distillation and physicochemical characterization of clove leaf oil in Central Java, Indonesia. in Journal of Physics: Conference Series. 2018. IOP Publishing.
7. SUNDARI, S., et al., Update phylogenetic information of the local varieties of cloves (Syzygium aromaticum) from North Maluku, Indonesia based on ITS sequences data. Biodiversitas Journal of Biological Diversity, 2019. 20(6).
8. Divya, B., et al., A study on phytochemicals, functional groups and mineral composition of Allium sativum (garlic) cloves. Int J Curr Pharm Res, 2017. 9(3): p. 42-45.
9. DeFrancesco, J.V., Extraction and Analysis of Eugenol from Cloves. The Journal of Forensic Science Education, 2021. 3(1).
10. Idowu, S., et al., Clove (Syzygium aromaticum) spices: a review on their bioactivities, current use, and potential application in dairy products. Journal of Food Measurement and Characterization, 2021. 15: p. 3419-3435.
11. Frohlich, P.C., et al., Evaluation of the effects of temperature and pressure on the extraction of eugenol from clove (Syzygium aromaticum) leaves using supercritical CO2. The Journal of Supercritical Fluids, 2019. 143: p. 313-320.
12. Alfikri, F.N., et al., Yield, quality, and antioxidant activity of clove (Syzygium aromaticum L.) bud oil at the different phenological stages in young and mature trees. Scientifica, 2020. 2020.
13. Teles, A.M., et al., GC-MS characterization of antibacterial, antioxidant, and antitrypanosomal activity of Syzygium aromaticum essential oil and eugenol. Evidence-Based Complementary and Alternative Medicine, 2021. 2021: p. 1-12.
14. Batiha, G.E.-S., et al., Syzygium aromaticum L.(Myrtaceae): traditional uses, bioactive chemical constituents, pharmacological and toxicological activities. Biomolecules, 2020. 10(2).
15. Kaur, K., S. Kaushal, and R. Rani, Chemical composition, antioxidant and antifungal potential of clove (Syzygium aromaticum) essential oil, its major compound and its derivatives. Journal of Essential Oil Bearing Plants, 2019. 22(5): p. 1195-1217.
16. Zhang, Y., et al., Antibacterial and antibiofilm activities of eugenol from essential oil of Syzygium aromaticum (L.) Merr. & LM Perry (clove) leaf against periodontal pathogen Porphyromonas gingivalis. Microbial pathogenesis, 2017. 113: p. 396-402.
17. Hamdin, C.D., et al. Histological pattern on pancreas and liver of diabetic rats after treatment of eugenol isolated from leaves of Syzygium aromaticum. in AIP Conference Proceedings. 2019. AIP Publishing.
18. Kaur, D. and K.K. Chandrul, Syzygium aromaticum L.(Clove): A vital herbal drug used in periodontal disease. Indian Journal of Pharmaceutical and Biological Research, 2017. 5(02): p. 45-51.
19. Zaman, F.Q., et al., Anatomy and Histochemistry of Structures Producing Aroma in Leaves of Sygyzium aromaticum (L.) Merr. and Clausena excavata Burm. f. Pertanika Journal of Tropical Agricultural Science, 2018. 41(1).
20. Qin, Y.-L., et al., The effect of volatile compounds of Syzygium aromaticum flower buds against Aspergillus flavus growth on wheat grain at postharvest stage. Food Control, 2023. 145: p. 109450.
21. Selim, D.A., R.S. Darwish, and E. Shawky, Authentication and detection of common adulterants in clove buds (Syzygium aromaticum L.) powders and oils using near IR combined to multivariate analysis. Microchemical Journal, 2023. 191: p. 108890.
22. Osman, A.G., et al., Overview of analytical tools for the identification of adulterants in commonly traded

herbs and spices. Journal of AOAC International, 2019. 102(2): p. 376-385.
23. Hariyadi, M.A., S. Yahya, and A. Wachjar, Agro-morphologies and physicochemical properties of flower bud, stem and leaf oils in two clove varieties (Syzygium aromaticum L. Merr. and Perry.) originated from Ambon island. Chiang Mai University Journal of Natural Sciences, 2020. 19(3): p. 516-530.
24. Sharada, R. and B. Lalitha, LAVANGA (SYZYGIUM AROMATICUM LINN.)-A SPICY BOON.
25. Hossen Jenia, S., STUDY ON NUTRITIONAL COMPOSITION, BIOACTIVE COMPOUNDS, ANTIOXIDANT AND ANTIMICROBIAL ACTIVITY OF THE CLOVE (SYZYGIUM AROMATICUM). 2019, Chattogram Veterinary and Animal Sciences University Chattogram-4225, Bangladesh.
26. Rani, R. and M.K. Jena, Clove (Syzygium aromaticum): Beneficial effects on human health: A review. Plant Archives, 2021. 21(1): p. 1967-1972.
27. Abtahi-Eivari, S.-H., et al., Effects of Hydroalcoholic Extracts of Cloves (Syzygium aromaticum) on the Serum Biomarkers, Antioxidant Status, and Histopathological Changes of Kidneys in Diabetic Rats. Crescent Journal of Medical & Biological Sciences, 2021. 8(4).
28. Tomas, A., et al., Health-promoting activities of clove (Syzygium aromaticum) extracts, in Clove (Syzygium aromaticum). 2022, Elsevier. p. 619-637.
29. Elbestawy, M.K., G.M. El-Sherbiny, and S.A. Moghannem, Antibacterial, antibiofilm and anti-inflammatory activities of eugenol clove essential oil against resistant Helicobacter pylori. Molecules, 2023. 28(6): p. 2448.
30. Verma, D.S.K., et al., Evaluation of analgesic activity of Syzygium aromaticum w. sr to painful tooth. World J Pharm Res, 2018. 7(5): p. 827-834.
31. Mohammadi, F., Effect of different levels of clove (Syzygium aromaticum L.) essential oil on growth performance and oxidative/nitrosative stress biomarkers in broilers under heat stress. Tropical Animal Health and Production, 2021. 53(1): p. 84.
32. Yadav, Y., et al., ETHNOPHARMACOLOGY AND TRADITIONAL ATTRIBUTES OF CLOVE (SYZYGIUM AROMATICUM). International Journal of Environment and Health Sciences, 2022: p. 67.
33. Tsai, T.-H., et al., Clove extract and eugenol suppress inflammatory responses elicited by Propionibacterium acnes in vitro and in vivo. Food and Agricultural Immunology, 2017. 28(5): p. 916-931.
34. RASAKO, H., DIFERENCESS IN TREATMENT OF INSECTICIDE GEL TYPES FOR AIR FRESHENER ESSENTIAL OIL OF CLOVE (S. AROMATICUM L,) AND LAWANG BARK (C. CULLILAWANG BLUME) WHICH ARE EFFECTIVE AGAINST CULEX QUINQUEFASCIATUS MOSQUITO DEATH.
35. El-Saber Batiha, G., et al., Syzygium aromaticum L.(Myrtaceae): traditional uses, bioactive chemical constituents, pharmacological and toxicological activities. Biomolecules, 2020. 10(2): p. 202.
36. Özbek, Z.A. and P.G. Ergönül, Clove (Syzygium aromaticum) and eugenol toxicity, in Clove (Syzygium aromaticum). 2022, Elsevier. p. 267-314.
37. Nirmala, M.J., et al., Toxicity of clove (Syzygium aromaticum) extract, in Clove (Syzygium Aromaticum). 2022, Elsevier. p. 663-674.
38. Ullah, M.A., A. Hassan, and A. Hamza, Role of Clove in Human Medical History. SAR J Anat Physiol, 2023. 4(2): p. 10-19.

Received on Accepted on Published on

DOI:

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium provided the original work is properly cited.